U.S. Army Corps of Engineers - Charleston District Checklist for 2002 Nationwide Permit Review Nationwide Permit 29

Single-family Housing (10/404)

SAC #:		
Applica	nt Name:	
Waterw	vay/Location:	
Project	Name:	
1.	U.S., including non-tidal wetlands, for the	ed or fill material into non-tidal waters of the construction or expansion of a single-family arage, storage shed, driveway, septic tank,
	☐ Yes* _	_ No
2.	Does the discharge cause the loss of great U.S., including non-tidal wetlands?	ter than 1/4 acre of non-tidal waters of the
	Yes [No
3.	Has the permittee taken all practicable ac impacts of the discharge?	tions to minimize the on-site and off-site
	☐ Yes _	_ No
4.		and complete project? <i>Note: any subdivision</i> he discharges authorized may not exceed an f 1/4 acre for the entire subdivision.
	☐ Yes _	_ No
5.	Is the discharge proposed in a designated wetlands?	critical resource water or its adjacent
	Yes¹ [□ No
6.	Is this NWP being proposed for use in cor	junction with NWP 14 or NWP 18?
	Yes	☐ No

7.	Is this NWP being proposed for use more than once per parcel? NOTE: For the purposes of this NWP, a parcel of land is defined as "the entire contiguous quantity of land in possession of, recorded as property of, or owned (in any form of ownership, including land owned as a partner, corporation, joint tenant, etc.) by the same individual (and/or that individual's spouse), and comprises not only the area of wetlands sought be filled, but also all land contiguous to those wetlands, owned by the individual (and/othat individual's spouse) in any form of ownership."				
		Yes	☐ No		
8.		, the term "indivi	idual" refers to a	onal residence? NOTE: For the natural person and/or a married o, or similar entity.	
		Yes	No		
9.	If the discharge is proposed in a residential subdivision created on or after Nover 1991, does the aggregate total loss of waters in that entire subdivision exceed 1/NOTE: This total aggregate loss includes any loss of waters associated with the subsequent development of that subdivision.				
		Yes	☐ No	□ NA	
10.	Are vegetated buffers water quality degrada			open water bodies to preclude ation?	
		Yes	No		
11.	Is the discharge for a	single and comp	lete project?		
		Yes	No		
12.	Are all of the applicable NWP General and Regional Conditions satisfied, including mitigation (GC #19), endangered species, and cultural resources, and if any Federa listed species and/or designated critical habitat occurs in the action area, have you an effect determination and properly documented it in the administrative record?				
		Yes	No		
13.	Does the discharge ca	ause the loss of ç	greater than 300	linear feet of streambed?	
		Yes	☐ No		

TO QUALIFY FOR THE NWP, UNLESS OTHERWISE NOTED, EVERY NUMBERED ITEM MUST HAVE A CHECKED BOX.

* - REQUIRES A PRE-CONSTRUCTION NOTIFICATION (PCN) TO THE DISTRICT ENGINEER.

THE PCN MUST ALSO INCLUDE THE FOLLOWING ADDITIONAL INFORMATION:

- Any past use of this NWP by the individual permittee and/or permittee's spouse;
- A statement that the single family housing is for a personal residence of the permittee;
- A description of the entire parcel, including its size, and a delineation of wetlands.
- A written description of all land (including, if available, legal descriptions)
 owned by the perspective permittee and/or the prospective permittee's
 spouse, within a one mile radius of the parcel, and any form of ownership and
 any land on which a purchase and sale agreement or other contract for sale or
 purchase has been executed.
- ¹ Discharges of dredged or fill material into waters of the U.S. may be authorized by this NWP in National Wild and Scenic Rivers if the activity complies with NWP General Condition 7. Further, such discharges may be authorized in designated critical habitat for Federally listed threatened or endangered species if the activity complies with NWP General Condition 11, and the U.S. Fish and Wildlife Service or the National Marine Fisheries Service has concurred in a determination of compliance with this condition.